



# Technical specification bucket

## JETB 11


Jokey Euro Tainer Box



### dimensions

D1: 132,0 mm  
D2: 122,0 mm  
D3: 108,0 mm  
H:\* 121,0 mm

\*Height without lid



basic data	volume to rim:	1,20 l	handle types	tolerances
	weight:	32,0 g	metal handle	- dimensions: +/- 1 mm
	weight group:	E	plastic handle	- volume/weight: +/- 5 %
			belt handle	2,0 g
			no handle	+
			body grip	-
			roller grips	-

decoration	Digital	IML	offset
height:	0,0 mm	102,24 mm	0,0 mm
width:	0,0 mm	360,21 mm	0,0 mm
median breadth:	0,0 mm		0,0 mm

lid	DETB 130	DETB 130	FDETB 130	FDETB 130
	standard	standard	sealing lid	sealing lid
stacking height two fold:	233,4 mm	0,0 mm	246,5 mm	246,5 mm
each further:	112,4 mm	0,0 mm	121,5 mm	121,5 mm


**logistic** Max. compression for standard lid at 20°C on the lowest pail: 8,50 kg

### pieces per pallet

bucket 2400  
pallet height 1,20 m  
layer quantities: 54

### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



### material



### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

### misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 07.12.2020 rev. 3.0



# Technical specification lid DETB 130



## dimensions

D1: 130,5 mm  
H: 9,0 mm

## basic data

displaced volume:: 0,10 l  
weight: 9,0 g  
weight group: E

## tolerances

dimensions: +/- 1 mm  
volume/weight: +/- 10 %

## decoration

Diameter

## IML

120,00 mm

## offset

92,0 mm

## bucket




## logistic

### pieces per pallet

lid 19200  
pallet height 2,20 m  
layer quantities: 54

### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



## material



### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

## misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 07.12.2020 rev. 3.0



# Technical specification lid DETB 130



## dimensions

D1: 130,5 mm  
H: 9,0 mm

## basic data

displaced volume:: 0,10 l  
weight: 7,2 g  
weight group: C

## tolerances

dimensions: +/- 1 mm  
volume/weight: +/- 10 %

## decoration

Diameter

## IML

120,00 mm

## offset

92,0 mm

## bucket




## logistic

### pieces per pallet

lid 19200  
pallet height 2,20 m  
layer quantities: 54

### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



## material



### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

## misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 07.12.2020 rev. 3.0



# Technical specification lid

## FDETB 130



### dimensions

D1: 131,0 mm  
H: 12,0 mm

### basic data

displaced volume:: 0,00 l  
weight: 7,6 g  
weight group: C

### tolerances

dimensions: +/- 1 mm  
volume/weight: +/- 10 %

### decoration

Diameter

### IML

120,00 mm

### offset

0,0 mm

### bucket




### logistic

#### pieces per pallet

lid 19200  
pallet height 2,20 m  
layer quantities: 54

#### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



### material



#### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

### misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 07.12.2020 rev. 3.0



# Technical specification lid

## FDET B 130



### dimensions

D1: 131,0 mm  
H: 12,0 mm

### basic data

displaced volume:: 0,00 l  
weight: 9,5 g  
weight group: E

### tolerances

dimensions: +/- 1 mm  
volume/weight: +/- 10 %

### decoration

Diameter

### IML

120,00 mm

### offset

0,0 mm

### bucket




### logistic

#### pieces per pallet

lid 19200  
pallet height 2,20 m  
layer quantities: 54

#### EUP (Europallet)

80 cm (31,5'') x 120 cm (47,24'')



### material



#### QM / certificates

You can download our current certificates on [www.jokey.com](http://www.jokey.com).

### misc.

All deliveries are subject to our General Terms and Conditions of Delivery. With respect to possible tolerances, deformations and ink adhesion of the design, express reference is hereby made to our Technical Guidelines, which shall also form an integral part of the content of any delivery transaction. In our Technical Guidelines you will also find details referring to strictest quality and hygiene standards, storage, filling and performance requirements as well to applications and transport. Verbal statements regarding technical data or attributes of our products shall always be limited to the scope that we recommend. Our terms and Conditions of Delivery and Technical Guidelines may be available. For technical reasons, the product image may deviate from the actual item. Technical modifications reserved.

Please find further Information at [www.jokey.com](http://www.jokey.com) or via email [info@jokey.com](mailto:info@jokey.com)

Date: 07.12.2020 rev. 3.0